

Immobilized Thiosalicylic Ligand System Potentials for the Detoxification of Some Heavy Metals from Tannery Wastewater

Bulus Habila^{1,*}, Emmanuel Chidiebere Ezech², Simon Moses Saidu³, John Chidozie Attah², Paul Okechukwu Nsude², Emmanuel Agboeze², Ike Christian Ozoemena², Jonathan Danladi Gaiya¹, Tachye Ninnat Bwankhot Shekarri¹, Sunday Ture Dahiru¹, Olajide Joseph Igbehinadun¹

¹Department of Leather and Leather Products/Polymer, Nigerian Institute of Leather and Science Technology, Zaria, Nigeria

²Department of Pure and Industrial Chemistry, Enugu State University of Science and Technology, Enugu, Nigeria

³National Institute of Hospitality and Tourism, Kaduna Campus, Kaduna, Nigeria

Email address:

bulus1973@gmail.com (B. Habila)

*Corresponding author

To cite this article:

Bulus Habila, Emmanuel Chidiebere Ezech, Simon Moses Saidu, John Chidozie Attah, Paul Okechukwu Nsude, Emmanuel Agboeze, Ike Christian Ozoemena, Jonathan Danladi Gaiya, Tachye Ninnat Bwankhot Shekarri, Sunday Ture Dahiru, Olajide Joseph Igbehinadun. Immobilized Thiosalicylic Ligand System Potentials for the Detoxification of Some Heavy Metals from Tannery Wastewater. *Science Journal of Chemistry*. Vol. 9, No. 3, 2021, pp. 72-79. doi: 10.11648/j.sjc.20210903.13

Received: April 20, 2021; Accepted: May 20, 2021; Published: June 29, 2021

Abstract: Polysiloxanes are characterized by silicon and oxygen backbone and are hydrophobic in nature with low moisture uptake widely used for medical applications. Polysiloxane immobilized thiosalicylic acid ligand system has been prepared through sol-gel method, gelation was observed after 40 minutes. The immobilized ligand was characterized using FTIR, the spectrum showed characteristic absorption bands (cm^{-1}) at: 3377 (OH), 2981 (C-H stretch); 2631 (SH); 1587 to 1684 (C=C, C=O); 1032 to 1144 (Si - O) respectively. SEM analysis showed irregular particle sizes of the polysiloxane matrices while EDX elemental composition gave (wt %): 3-CPPS; Si (50.45), O (25.02) and Cl (24.57). F - 3CPPS showed, O (58.68), Si (41.32); thiosalicylic (7.14 of S). The extraction of metal ions (Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+}) were studied using Microwave Plasma Atomic Emission Spectrophotometer (Agilent MPAES-4200) at pH 6.0. Thermodynamic range with respect to Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+} yielded negative values for ΔG° : Cu^{2+} (-11.483 to 14.842) to Zn^{2+} (-14.368 to 14.842) KJmol^{-1} ; positive values for ΔH° : Fe^{3+} (0.000) to Pb^{2+} (105.130) KJmol^{-1} and ΔS° : Zn^{2+} (47.421) to Pb^{2+} (389.328) $\text{Jmol}^{-1}\text{K}^{-1}$ respectively, indicating spontaneous, endothermic reactions and high degree of disorderliness with respect to metal ion binding capacity to the ligand system.

Keywords: Tannery Wastewater, Detoxification, Polysiloxane, Nanomers, Thiosalicylic Ligand

1. Introduction

Leather industry generates harmful wastes into water bodies [1]. During tanning alone about 300 kg of chemicals are added per ton of hides or skins with large volume of water and sludge generated [2, 3]. Not more than 20% of the chemicals are absorbed by leather; the remainder flows out with the effluent [4]. Conventional methods used have limitations such as production of toxic sludge [5] and

inability to remove heavy metals at trace level, this prompted the use of polymeric modified surfaces with good thermal, mechanical and chemical stability properties such as polysiloxane immobilized with ligands [6] have been employed as a recyclable extractants for heavy metals. These immobilized ligand system could be synthesized directly by sol gel or by chemical modification of the prepared functionalized polysiloxane [6]. A variety of analytical techniques have been employed such as Fourier Transform

Infra-red (FTIR) [7, 8], Nuclear Magnetic Resonance (NMR), Scanning Electron Microscopy (SEM) [9, 10] and Energy Dispersive X-ray Analysis (EDX) [9, 10]. This study described the Immobilization of thiosalicylic acid ligand system and its potential in the purification of tannery wastewater.

2. Location of the Study Area

Kano state covers an area extending between latitudes 120° 40' and 100° 30' and longitudes 70° 40' and 90° 30'. Climate is tropical wet and dry with mean annual rainfall of 850 mm, and a population of 9.3 million, it is a flat city drained by the Jakara river and several streams (Niger river watershed) and River Challawa (Lake Chad watershed) all are severely polluted by urban and industrial effluents. Kumbotso local government is the area of study and it lies between latitudes 11°50'S to 12°N and longitude 8°24'W to 8°40'E. It falls within the Kano State settlement zone bordering the south and west by Madobi Local Government Area, in the Northern west; Rimin-Gado, in the North by Gwale and East by Tarauni local government areas respectively [11, 12].

3. Experimental

3.1. Preparation of Polysiloxane Immobilized Thiosalicylic Acid Ligand System (PITSLS)

The methods of [13, 8, 14], were adopted. 3-Chloropropylpolysiloxane (CPPS) was prepared by reacting tetraethylorthosilicate (0.1 mol, 20.8 g) with 3-chloropropyltrimethoxysilane (0.05 mol, 9.936 g) in the presence of methanol (35 cm³) in a solution of sodium hydroxide (NaOH, 0.42 mol/dm³, 4.95 cm³) [6], stirred for 5 min at 40°C and pH 10 (Tricolour Universal pH Paper). Gelation formed after 40 min. CPPS was functionalized by refluxing with ethylchloroacetate (0.122 mol; 15 g) and triethylamine (10 cm³) for 12 h at 110°C (RAYPA Digital Drying Oven) [7]. The functionalized product was measured (3.200 g) and modified using thiosalicylic acid (0.05 mol; density 1.49 g/cm³; volume 7.959 g) in ethylchloroacetate (0.244 mol; density 1.145 g/cm³; volume 26.20 cm³) and 5 cm³ of triethylamine in a round-bottomed flask (250 cm³) and refluxed for 12 h at 383 K, the product formed was filtered, washed successively with 50 cm³ portions of de-ionized water, methanol and diethyl ether, dried at 383 K in an oven for 10 h, labelled and dried over CaCl₂.

3.2. Digestion of Tannery Effluent

Tannery wastewater sample of 1000 cm³ was transferred into a conical flask and evaporated till dried. The dried sample was digested in 10:1 HNO₃:HClO₄ (v/v). White crystals were found in the digested samples and were dissolved in 150 ml double distilled water. The supernatant were filtered using Whatman No.41 filter paper and was read directly with Agilent MPAES-4200 [15]. The total metal

contents were determined as described by Parven *et al.*, [16]. No specific speciation was conducted to ascertain the various valencies of the species at the pH values of 2, 4, 6, 7 and 9 as used in this study.

3.3. Effect of Adsorbent

A volume of 60 cm³ solution of the tannery wastewater adjusted at pH 6 (optimum) was transferred into 150 cm³ conical flask and 10 mg of the polysiloxane immobilized thiosalicylic ligand was added and adjusted in a thermostatic multi- shaker (Gallenkamp Model) at 100 rpm for 2 h at 30°C. The resultant solutions were filtered using Whatman No.41 and the residual metal concentrations analysed (Cr³⁺, Fe³⁺, Pb²⁺, Cu²⁺ and Zn²⁺) using Agilent MPAES-4200 [17, 18, 19] This procedure was repeated for 20 and 30 mg of polysiloxane immobilized thiosalicylic ligand with mesh size of (125-150 µm) respectively.

3.4. Thermodynamic Studies

A volume of 60 cm³ solution of the tannery wastewater adjusted at pH 6 (optimum) was transferred into 150 cm³ conical flask and 20 mg of the polysiloxane immobilized thiosalicylic ligand was added and adjusted in a thermostatic multi-shaker (Gallenkamp Model) at 100 rpm for 2 h at 30°C. The resultant solutions were filtered using Whatman No.41 and the residual metal concentrations analysed (Cr³⁺, Fe³⁺, Pb²⁺, Cu²⁺ and Zn²⁺) using Agilent MPAES-4200. [17, 19, 20]. This procedure was repeated for temperatures of 35 and 40°C respectively.

4. Results and Discussion

PITSLS was employed to extract heavy metals in tannery wastewater due to the availability of reactive sites in the polysiloxane matrix (Figure 1.), the protonation of COOH to COO⁻ by triethylamine, SH to S⁻, and the presence of oxy ions contributes to the removal of these heavy metals.

4.1. SEM/EDX Analysis of PITSLS

SEM (EVO/LS10-ZEISS) showed irregular particle sizes of the following polysiloxane matrices at various magnifications (µm): 3- chloropropylpolysiloxane (500); functionalized 3-chloropropylpolysiloxane (500) and thiosalicylic immobilized ligand (200) in Figure 3, with the EDX (EVO/LS10-ZEISS). The morphology shows a rough surface with a pore volume of 52.9940 nm³ in Table 1, which provides a better adsorption environment. EDX data of functionalized 3-CPP with immobilized thiosalicylic acid ligand gives 7.14 wt% of S (Table 2). This is in agreement with the suggested structure of the targeted system and is an indication of successful polymerization by nucleophilic displacement of a halide anion by Brad B [21], which the sulphur atom was originally not on the polymer framework with 7.14 wt %, within the range of 6.1-10.4 wt % reported by Issa M. E. [7]; 8.0 wt %, [6]; 4.30-11.30 wt % El-Nahhal I. M [22]; 3.90- 6.80 wt % [23] for similar synthesis. The

value of 7.14 wt% was obtained because of the availability of reactive sites in Figure 3, which assisted in the immobilization process, with particle size of 3.4397 ± 1.5659 nm. This agreed with the nano-particle sizes of silica in the range of 2–5 nm with an extraordinary surface-to-volume ratio El-Nahhal I. M [22]. This particle size plays a vital role in adsorption of heavy metals in the tannery wastewater. This

is in agreement with the suggested structure of the targeted system and is an indication of successful immobilization of the ligand in the polymer matrix as originally there was no sulphur atom on the polymer framework. The 7.14 wt % was. The presence of thiol in the matrix agrees with the FTIR results presented in Figure 1, as follows: thiol (SH, 2631 cm^{-1}); silicone (Si-O-Si, 1032 cm^{-1}) Figure 2.




Figure 1. Preparation of thiosalicylic acid ligand system.





Figure 2. FTIR Spectrum for PITSLS.






Figure 3. SEM Morphology / EDX Spectrum of Immobilized Thiosalicylic Acid Ligand System.

Table 1. Polysiloxane Immobilized Thiosalicylic Ligand Particle Size (nm) Analysis.

	Area (nm)	Mean	Min	Max	r ²	r (nm)	d (nm)	v (nm ³)
Mean	11.1706	255	255	255	3.5557	1.7198	3.4397	52.9940
Standard Error	1.5278	0	0	0	0.4863	0.1237	0.2475	9.9847
Median	7.932	255	255	255	2.5248	1.5889	3.1779	25.2074
Mode	2.644	255	255	255	0.8416	0.9173	1.8347	4.8511
Standard Deviation	9.6631	0	0	0	3.0758	0.7829	1.5659	63.1494
Sample Variance	93.3771	0	0	0	9.4610	0.6130	2.4522	3987.846
Range	29.083	0	0	0	9.2574	2.2605	4.5210	196.799
Minimum	2.644	255	255	255	0.8416	0.9173	1.8347	4.8511
Maximum	31.727	255	255	255	10.0990	3.1778	6.3557	201.6502
Sum	446.827	10200	10200	10200	142.2295	68.7954	137.591	2119.762
Count	40	40	40	40	40	40	40	40
Confidence Level (95.0%)	3.0904	0	0	0	0.9837	0.2504	0.5008	20.1961

Foot note: r= radius, d= diameter, v= volume

Table 2. Elemental Composition of Polysiloxane, Functionalized and Immobilized Ligand Systems.

ADSORBENTS	ELEMENTS				
	O (K)	Si (K)	Cl (K)	S (K)	Rb (L)
3-Chloropropylpolysiloxane (3CPP)	25.02	50.45	24.57	-	-
Functionalized 3CPP	58.68	41.32	-	-	-
Immobilized Thiosalicylic Ligand	24.79	33.68	13.85	7.14	20.54

Note: K, L and M Represent shells or orbitals. O (Oxygen); Si (Silicon); Cl (Chlorine); S (thiol); Rb (Rubidium)

4.2. Effect of pH

The leather industry generates wastewater without proper treatment, thereby contaminating the eco-system [24, 25]. As a result of that PITSMCBLS was employed to extract heavy metals (Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+}) available in the wastewater. This was made possible due to the availability of reactive sites in the polysiloxane matrix in Figure 1. The mechanism could be surface adsorption or chemisorption. The deprotonation of COOH to COO^- by triethylamine, SH ,

to S^- , and the presence of oxy-ions contributed to their extractions. The results for the effect of pH on the purification of the metals are presented in Table 3. There was a gradual increase in the extraction from pH 2 to a maximum at pH 6 mostly, which was within the limit of 5.5–7.0 [25] recorded using aminopolysiloxane for similar adsorption studies [26]. Above pH 6, the removal efficiency decreased as the pH increased to pH 9, which promoted the precipitation of metal hydroxide in solution.

Table 3. Adsorption Equilibrium for Immobilized Thiosalicylic Acid Ligand System after Treatment of Tannery Wastewater.

METAL	Conc.	pH				
		2	4	6	7	9
Cr (ppm)	Cia	17.112	14.854	10.952	5.897	3.693
	Cib	17.112	14.854	10.952	5.897	3.693
	Cfa	15.368	11.999	0.28	0.514	1.136
	Cfb	15.368	11.999	0.28	0.514	1.136
	%ADS	10.192	19.22	97.443	91.284	69.239

METAL	Conc.	pH				
		2	4	6	7	9
Fe (ppm)	Cia	4.224	1.619	0.328	0.732	0.272
	Cib	4.224	1.619	0.328	0.732	0.272
	Cfa	1.205	0	0	0	0
	Cfb	1.205	0	0	0	0
	%ADS	0.715	100	100	100	100
Pb (ppm)	Cia	2.852	1.94	1.609	1.484	0.418
	Cib	2.852	1.94	1.609	1.484	0.418
	Cfa	0.922	0.595	0.001	0	0
	Cfb	0.922	0.595	0.001	0	0
	%ADS	67.672	69.33	99.956	100	100
Cu (ppm)	Cia	0.811	0.48	0.404	0.426	0.153
	Cib	0.649	0.318	0.242	0.264	0.009
	Cfa	0.319	-0.329	0.036	0.043	0.002
	Cfb	0.319	0	0.036	0.043	0.007
	%ADS	50.847	100	85.124	83.712	77.777
Zn (ppm)	Cia	0.177	0.02	0.051	0.039	-0.003
	Cib	0.177	0.02	0.051	0.039	-0.003
	Cfa	0.115	-0.025	0	0	0
	Cfb	0.115	0	0	0	0
	%ADS	35.028	100	100	100	0

Note: Cia =Initial sample result before subtraction, Cib= Initial sample result after subtraction Cfa= Final sample result before subtraction, Cfb= Final sample result after subtraction, %ADS= Percentage adsorption.

4.3. Effect of PITSLS Dose on the Adsorption of Heavy Metals

The results in Table 4, shows that, increase in adsorbent dose from 20-30 mg/60 cm³ increased the adsorption of metal ion in the solution due to large availability of the surface area at higher concentration of the adsorbent in thiosalicylic with respect to Cr³⁺. Increase in the adsorbent dose from 10-30 mg/60 cm³ had no significant effect on the

adsorption of Fe³⁺ and Zn²⁺ metal ion in the solution because any further addition of the adsorbent beyond this point did not cause any significant change in the adsorption due to overlapping adsorption sites of the adsorbent particles [27, 28], discrepancies were recorded with respect to Pb²⁺, which showed significant adsorption at 10 mg/60 cm³ and decreased from 20-30 mg/cm³ due to complete overlapping of adsorption sites.

Table 4. Effect of Adsorbent Dosage of PITSLS on the Adsorption of Heavy Metals after Digestion of Tannery Wastewater.

METAL	Conc.	Adsorbent (mg)		
		10	20	30
Cr (ppm)	Cia	10.952	10.952	10.952
	Cib	10.952	10.952	10.952
	Cfa	0.280	0.198	0.172
	Cfb	0.280	0.198	0.172
	%ADS	97.443	98.192	98.430
Fe (ppm)	Cia	0.328	0.328	0.328
	Cib	0.328	0.328	0.328
	Cfa	-0.233	-0.668	-0.716
	Cfb	0.000	0.000	0.000
	%ADS	100.000	100.000	100.000
Pb (ppm)	Cia	0.418	0.418	0.418
	Cib	0.418	0.418	0.418
	Cfa	-0.014	0.233	0.325
	Cfb	0.000	0.233	0.093
	%ADS	100.000	44.258	22.248
Cu (ppm)	Cia	0.404	0.404	0.404
	Cib	0.242	0.242	0.242
	Cfa	0.036	-0.082	-0.109
	Cfb	0.036	0.000	0.000
	%ADS	85.124	100.000	100.000
Zn (ppm)	Cia	0.051	0.051	0.051
	Cib	0.051	0.051	0.051
	Cfa	-0.002	-0.069	-0.070
	Cfb	0.000	0.000	0.000
	%ADS	100.000	100.000	100.000

rC_{oi} = relative initial concentration; rC_{ef} = relative final concentration, % ADS = percentage adsorption

4.4. Thermodynamic Study of PITSLS

The distribution coefficients (K_D) for the extraction and percentage adsorption (% ADS) of Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+} metal ions from solutions of tannery wastewater by Polysiloxane immobilized thiosalicylic ligand system was studied at different temperatures of 303, 308 and 313 K in Table 5. The results for (K_D) and (% ADS) ranged from: Cr^{3+} 287.838 to 296.384 and Pb^{2+} 193.788 to 300.000 and % ADS for Cr^{3+} 96 to 99; Pb^{2+} 65 to 100 respectively. This showed that, the distribution coefficients K_D and % ADS increased with increase in temperature while Fe^{3+} , Cu^{2+} and Zn^{2+} showed no significant changes with increase in temperature. In order to determine the thermodynamic feasibility and the thermal effects of sorption, the thermodynamic parameters were evaluated using $\Delta G^\circ = -RT \ln K_D$ and $\Delta G^\circ = \Delta H^\circ - T\Delta S^\circ$, where ΔG° , ΔH° , ΔS° and T are Gibbs free energy, enthalpy, entropy and absolute temperature respectively [6, 29]. R is the gas constant ($8.314 \text{ Jmol}^{-1}\text{K}^{-1}$) and K_D is the equilibrium constant. Plots of $\ln K_D$ against $1/T$ gave the numerical values of ΔH° and ΔS° from slope and intercept respectively [30]. The values of ΔG° , ΔH° and ΔS° are given for Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+} in Table 5. The negative values of the Gibbs free energy ΔG° for all temperatures with affinity for polysiloxane immobilized thiosalicylic ligand system towards Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+} , suggests spontaneity

of the adsorption process which does not required an external. The values for ΔG° ranged from (Cr^{3+} -14.264 to -14.811; Fe^{3+} -14.368 to -14.842; Pb^{2+} -13.2676 to -14.8429; Cu^{2+} -11.4839 to -14.8429 and Zn^{2+} -14.3686 to -14.8429 kJmol^{-1}). Consequently, ΔG° of -15 kJ/mol are connected with physical interaction between adsorption sites and metal ions which was observed in this work to be less, whereas -30 kJ/mol involves charge transfer from adsorbent surface to the metal ion to form a coordination bond this is a total deviation from the results obtained in this work. The positive values: ΔH° (Cr^{3+} 2.316; Fe^{3+} 0.000 Pb^{2+} 105.1305; Cu^{2+} 19.2569 and Zn^{2+} 0.0000 kJmol^{-1}), suggest variation of enthalpies accompanying sorption of metal ions on the Polysiloxane immobilized thiosalicylic ligand system (indicating an endothermic process) which is facilitated by higher temperatures. The positive entropy changes: ΔS° (Cr^{3+} 54.750; Fe^{3+} 47.421; Pb^{2+} 389.328; Cu^{2+} 110.9670 and Zn^{2+} 47.4214 $\text{Jmol}^{-1}\text{K}^{-1}$) is characterized by irregular increase in the randomness at the composite material solution interface during adsorption procedure of the system [31]. The results above are characterized by chemisorption process, favoured at higher temperatures. The thermodynamic parameters considered are in agreement with the work of El-Ashgar *et al.*, [32].

Table 5. Adsorption Thermodynamics of Metal ions Chemisorbed by PITSLS.

METAL ION	T (K)	q_e (mgg ⁻¹)	K_D (Lg ⁻¹)	$\ln K_D$	ΔG° (KJmol ⁻¹)	ΔH° (KJmol ⁻¹)	ΔS° (Jmol ⁻¹ K ⁻¹)	Rel.C _i (ppm)	Rel.C _f (ppm)	Cd	% ADS
Cr^{3+}	303.00	3152.40	287.837	5.662	-14.264	2.316	54.750	10.952	0.444	10.508	96
	308.00	3233.70	295.261	5.687	-14.565			10.952	0.173	10.779	98
	313.00	3246.00	296.384	5.691	-14.811			10.952	0.132	10.820	99
Fe^{3+}	303.00	98.40	300.000	5.703	-14.368	0.000	47.421	0.328	0.000	0.328	100
	308.00	98.40	300.000	5.703	-14.605			0.328	0.000	0.328	100
	313.00	98.40	300.000	5.703	-14.842			0.328	0.000	0.328	100
Pb^{2+}	303.00	81.00	193.779	5.266	-13.267	105.130	389.328	0.418	0.148	0.270	65
	308.00	95.00	227.512	5.427	-13.897			0.418	0.101	0.317	76
	313.00	125.00	300.000	5.703	-14.842			0.418	0.000	0.418	100
Cu^{2+}	303.00	23.00	95.454	4.558	-11.483	19.256	110.967	0.404	0.003	0.239	99
	308.00	24.00	300.000	5.703	-14.605			0.404	0.000	0.242	100
	313.00	24.00	300.000	5.703	-14.842			0.404	0.000	0.242	100
Zn^{2+}	303.00	15.30	300.000	5.703	-14.368	0.000	47.421	0.051	0.000	0.051	100
	308.00	15.30	300.000	5.703	-14.605			0.051	0.000	0.051	100
	313.00	15.30	300.000	5.703	-14.842			0.051	0.000	0.051	100

5. Conclusion

The PITSLS has been prepared and subjected to instrumental methods of analysis such as: FTIR, SEM and EDX the PITSLS showed high potential for the extraction of Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+} at an optimum pH of 6.0 in the tannery wastewater. This achievement could be employed in the treatment of tannery wastewaters in the industry. Extraction of metal ions increased with the increase in the adsorbent dose and temperature respectively. The thermodynamic parameters suggest a spontaneous and an endothermic affinity of the chelating ligand. The complex formation process is favoured at

higher temperatures. The distribution coefficient values increased with increasing temperature indicating that the complex formation process of metal ions Cr^{3+} , Fe^{3+} , Pb^{2+} , Cu^{2+} and Zn^{2+} with polysiloxane immobilized thiosalicylic ligand System was accompanied by an absorption of heat.

Authors' Contributions

This study was conducted between all authors. BULUS HABILA (BH) and E. C. Ezech (ECE) devised the concept and designed the study. The laboratory investigation, analysis and manuscript draft were performed by BH. Statistical analysis was performed by Jonathan D. G and T. N. B.

Shekarri (TNBS), S. T. Dahiru (STD), Paul O. Nsude (POS) Emmanuel Agboeze (EA), Ike Christian Ozoemena (ICO) Olajide J. Igbehinadun (OJI), participated in the laboratory work. The final version was written by BH, E C E and Simon Moses, critically reviewed the manuscript for its intellectual content. All the authors gave final approval of the revised version for publication.

Funding

This research did not receive any specific grants from funding agencies in the public, commercial, or not-for-profit sectors.

Conflicts of Interest

The authors declare they do not have a conflict of interest.

Acknowledgements

The authors are grateful to the scholars and technicians of the Department of Pure and Industrial Chemistry, University of Nigeria, Nsukka, Nigeria, and Multi-User Laboratory - Ahmadu Bello University Zaria for their moral support and technical assistance during this research. Thanks to Adamu Simon, for his role in the manuscript typesetting.

References

- [1] Habila B., Chidiebere E. E., Hassana D., Joseph I. O and Bwankhot S. T. Determination of heavy metals in tannery wastes, *Int. J. Agric. Biosyst. Eng.*, 2018, 3 (3), 78–81.
- [2] Durai G. and Rajasimman M. Biological Treatment of Tannery Wastewater – A Review. *Journal of Environmental Science and Technology* 4 (1): 1-7.
- [3] Islam B. I., Musa A. E., Ibrahim. E. H., Sharafa S. A. A and Elfaki B. M. Evaluation and Characterization of Tannery Wastewater. *Journal of Forest Products and Industries*, 2014, 3(3), 141-150.
- [4] Muthukkauppan M. and Parthiban P. A Study on The Physicochemical Characteristics of Tannery Effluent Collected from Chennai. *International Research Journal of Engineering and Technology (IRJET)* 2018, 05 (03): 24-28.
- [5] Jahan M. A. A., Akhtar N., Khan N. M. S., Roy C. K., Islam R and Nurunnabi A.. Characterization of Tannery Wastewater and Its Treatment by Aquatic Macrophytes and Algae. *Bangladesh J. Sci. Ind. Res.* 2014, 49 (4), 233-242.
- [6] El-Ashgar. N. M. Extraction and Pre-concentration Capacity of Bi-functionalized Diamine –Thiol Polysiloxane immobilized Ligand System towards Some Divalent Cations. *Journal of Iran Chem. Soc.*, 2009, 6 (4): 823-830.
- [7] Issa M. E., Basheer A. E., Kamal A. R. S., Nizam M. E and Ahmed M. E. Polysiloxane-Immobilized Triamine Ligand System, Synthesis and Applications *Phosphorus, Sulfur and Silicon*, 2002, (177), 741–753.
- [8] Salman M. S., Nizam M. E. and Preparation of Immobilized Polysiloxane Imino(2-aminoethylacetamide) and its Application. *The Islamic University Journal Series of Natural Studies and Engineering*, 2006, 14 (1), 37-50.
- [9] Ali A. S. M., Abdul- Razak N., Ab-Rahman I. Study on the Preparation of a Sol-Gel Sorbent Based Thiosemicarbazone for Selective Removal of Heavy Metal Ions. *World applied sciences journal* 2012, 16 (8): 1040-1047.
- [10] Grzesiak P., Lukaszuk J., Gabala E., Kurczewska J., Schroeder G. The Influence of Silica Functionalized With Silanes on Migration of Heavy Metals In Soil. *Polish Journal of Chemical Technology*, 2016, 18 (1): 51-57.
- [11] Akan J. C., Abdulrahman F. I., Ogugbuaja V. O., and Reuben K. D. Study of the Physico-Chemical Pollutants in Kano Industrial Areas, Kano State, Nigeria. *J. Applied Sci.* 2009, 4 (2) 89-102.
- [12] Danazumi S. and Bichi M. H. Industrial Pollution and Implication on Source of Challawa River in Kano, *Nigeria Int. Journal of Engineering and Technology IJET-IJENS* 2010, 10: 01.
- [13] El-Nahhal I. M., El-Ashgar N. M., M. M. Chehimi., Bargiela P., Maquet J., Babonneau F. and Livage J. Metal uptake by porous iminobis (N-2-aminoethylacetamide)-modified polysiloxane ligand system. *Microporous Mesoporous, Materials*, 2003, 65 (2-3), 299-310.
- [14] Nizam M. E. Synthesis and Application of a New Polysiloxane Immobilized Macrocylic Ligand System. *Analytical Letters*, 2008, 41, 3074-3087.
- [15] Shahida P., Ram B. and Dharam S. Assessment of Physico-Chemical Properties of Tannery Waste Water and Its Impact on Fresh Water Quality. *International Journal of Current Microbiology and Applied Sciences*, 2017, 6 (4), 1879-1887.
- [16] Parveen S., Bharose R., and Singh D. Assessment of physicochemical properties of tannery wastewater and its impact on fresh water quality, *Int. J. Curr. Microbiol. Appl. Sci.*, 2017, 6 (4), 1879–1887.
- [17] Bernard E., and Jimoh A.. Adsorption of Pb, Fe, Cu, and Zn from Industrial Electroplating Wastewater by Orange Peel Activated Carbon. *International Journal of Engineering and Applied Sciences* 2013, 4 (2): 95-103.
- [18] Senthil K. P and Kirthika K. K. Equilibrium and Kinetic Study of Adsorption of Nickel from Aqueous Solution onto Bael Tree Leaf Powder. *Journal of Engineering Science and Technology*. 2009, 4 (4): 351-363.
- [19] Horsfall. M. J., Abia A. A. and Spiff A. I. Kinetic Studies on the Adsorption of Cd²⁺, Cu²⁺ and Zn²⁺ Ions from Aqueous Solutions by Cassava (*Manihotesculenta*) Tuber Bark Waste. *Journal Bioresource Technology*, 2006, 97 (35): 283-291.
- [20] Vasanth K. and Kumar K. Linear and Non-Linear Regression Analysis for the Sorption Kinetics of Methylene Blue onto Activated Carbon *Journal of Hazardous Materials*, 2006, B137, 1538–1544.
- [21] Brad B., Wiacek R., Davidson J., Koonsiripaiboon V., Yantasee W., Shane A. R and Fryxell. G. E. Synthesis of Nanoporous Iminodiacetic Acid Sorbents for Binding Transition Metals. *Inorganic Chemistry Communications* 2009, 12: 312-315.

- [22] El-Nahhal I. M., El-Ashgar N. M., Abu-Shawish A., Ahmed A and Babonneau F.. Template synthesis of immobilized polysiloxane diamine-thiol tetraacetic acid Biligand system and its application for determination of metal ions. *Phosphorus, Sulfur Silicon Relat. Elem.*, 2015, 190 (10), 1646–1657.
- [23] Mona, A. A., Asmah, A., Abu, S., Nizam, M. E., Issa, M. E., Mohammed, M. C., and Florence, B. (2016) Synthesis and Characterization of Immobilized Polysiloxane Monoamine-Thiol-triacetic acid and its Diamine and Triamine Derivatives. *Journal of Sol Gel Technol*, 78, 660-672.
- [24] Bulus H., Ezech E. C., Shekarri T. B and Pascalina L. L. Evaluation of Heavy Metal Deposits and distribution in Challawa Industrial Area of Kano Metropolis, Nigeria. *Journal of Experimental Research*, 2019, Vol 7 (1): 41-48.
- [25] Bulus H., Ukoha P. O., Okoduwa S. I. R., Salim A., Babangida M. B. and Simon A.. Synthesis and characterization of an immobilized thiosalicylic–mercaptoethanol biligand system and its application in the detoxification of chromium(III) and iron (III) ions from tannery wastewater *New J. Chem.*, 2020, 44, 2321-2327.
- [26] Neudachina L. K. and Lakiza N. V., Complexation of transition metal ions on the surface of carboxylated aminopolysiloxanes, *Russ. J. Inorg. Chem.*, 2014, 59 (6), 632–636.
- [27] Siti N. A. A., Mohd H. S. I., K. Lias and Shamsul I. Adsorption Process of Heavy Metals by Low-Cost Adsorbent: A Review. *World Applied Sciences Journal*, 2013, 28 (11), 1518-1530.
- [28] Zaid A. A and Mohammed S. A. Thermodynamics and Kinetic Studies of Iron (III) Adsorption by Olive Cake in Batch System. *Journal of Mexican Chemical Society*, 52 (2), 108-115.
- [29] Parimalam R., Vairamuthu, R and Ponnusamy S. Adsorption Isotherms, Kinetics, Thermodynamics and Desorption Studies of Reactive Orange16 on Activated Carbon Derived From *Ananas Comosus* (L.) Carbon. *ARPJ Journal of Engineering and Applied Sciences* 2011, 6, (11): 15-26.
- [30] Rajashree K., Gupta N., A. K. Kuswaha., Chattopadhyaya M. C. (2012) Determination of Equilibrium, Kinetics and Thermodynamic Parameters for Adsorption of Brilliant Green Dye from Aqueous Solutions onto Eggshell Powder. *Indian Journal of Chemical Technology* 2012, 19: 26-31.
- [31] Zhiguang M, N. Di., Zhang F., Gu P., Liu S. and Liu P. Kinetic and Thermodynamic Studies on the Adsorption of Zn^{2+} onto Chitosan-aluminium Oxide Composite Material. *International Journal of Chemistry* 2011, 3 (1): 18-23.
- [32] El-Ashgar N. M, Zeyad Y. J. Complexation and Thermodynamic Studies of Polysiloxane Iminobis (N-Diethylenediamineacetamide) Ligand System with Some Transition Metal Ions. *Physical Chemistry an Indian Journal* 2009, 4 (2): 71-76.